



# ES-DLM6C

## Large Capacity Refrigerated Centrifuge



LABORATORY




**Pulse Healthcare Technology**  
House: 11/1, Shahid Minar Road  
Kallyanpur, Dhaka-1216, Bangladesh.  
Mobile: +8801708008061  
e-mail: [info@pht.com.bd](mailto:info@pht.com.bd)  
web: [www.pht.com.bd](http://www.pht.com.bd)



# ES-DLM6C



## Large Capacity Refrigerated Centrifuge



### Introduction

ES-DLM6C is a new model with 10.2inch high resolution color touch screen.

With a swing rotor 6x1000ml (round bucket) and 6x1000ml (oval bucket) the ES-DLM6C is the preferred device in the fields as bio-pharmacy, biological products and blood bank.

### Features

- It can spin capacities from 1.5ml tubes to triple/quadruple blood bags from 400ml to 500ml.
- The used refrigerant meets the environmental requirements. The temperature setting range is  $-20^{\circ}\text{C}$  to  $40^{\circ}\text{C}$ . It can keep the temperature below  $-4^{\circ}\text{C}$  at max. speed.
- Protective functions of electronic door interlock, imbalance, over-temperature and over-speed for safe operation.
- Low noise (less than 65dB) and vibration.
- It can store 99 programs and 100 records/fault information. Through the USB port (setup by customer option) the operation data can be copied. The setup and running parameters can be displayed on the screen simultaneously.



## Technical Features

























Model	<b>ES-DLM6C</b>
Max. Speed	6000rpm
Max. RCF	6680xg
Max. Capacity	6x1000ml
Speed Accuracy	±10rpm
Time Setting Range	1min to 99h59min
Temp Setting Range	-20°C to 40°C
Temp Accuracy	±1°C
Compressor Assembling Unit	Non-CFC unit(R404a)
Noise	<65dB(A)
Power Supply	AC220V±22V 50Hz 30A
Wattage	3Kw
Dimension (W x D x H)	730x840x1200mm
920x1040x1520mm	Package Dimension(W x D x H)
Net Weight	260kg






# Technical Features

## Rotor Options

<p><b>No1</b></p>  <p><b>Cod. 801900</b> Max.Speed: 6000rpm Max.RCF: 6680xg Rotor Capacity: 6x500ml</p>		<b>Cod. 800705</b> 6x250ml		<b>Cod. 800708</b> 6x7x15ml falcon		<b>Cod. 800711</b> 6x50ml falcon
		<b>Cod. 800706</b> 6x100ml		<b>Cod. 800710</b> 6x10x5ml		<b>Cod. 800713</b> 6x7x10ml
		<b>Cod. 800707</b> 6x50ml	<b>Adaptors can be customized</b>			
<p><b>No2</b></p>  <p><b>Cod. 850500</b> Max.Speed: 4200rpm Max.RCF: 5100xg Rotor Capacity: 6x1000ml</p>	 <p><b>Cod. 850530</b> 6x1000ml</p>		<b>Cod. 850514</b> 6x500ml		<b>Cod. 850520</b> 6x14x15ml	
			<b>Cod. 850515</b> 6x300ml		<b>Cod. 850522</b> 6x37x7ml	
			<b>Cod. 850516</b> 6x3x100ml		<b>Cod. 850525</b> 6x24x5ml	
			<b>Cod. 850517</b> 6x5x50ml falcon		<b>Cod. 850526</b> 6x28x1.5ml	
			<b>Cod. 850518</b> 6x5x50ml		<b>Cod. 850527</b> 6x200ml blood bags	
			<b>Cod. 850519</b> 6x14x15ml falcon		<b>Cod. 850535</b> 6x250ml falcon	
			<b>Cod. 850610</b> 6x1000ml		<b>Cod. 850602</b> 6x1000ml	<b>Adaptors can be customized</b>



**Pulse Healthcare Technology**  
House: 11/1, Shahid Minar Road  
Kallyanpur, Dhaka-1216, Bangladesh.  
Mobile: +8801708008061  
e-mail: [info@pht.com.bd](mailto:info@pht.com.bd)  
web: [www.pht.com.bd](http://www.pht.com.bd)



ESSE3 srl, Via Garibaldi 30  
14022 Castelnuovo D.B. (AT)  
Tel +39 011 99 27 706  
Fax +39 011 99 27 506  
e-mail: [esse3@chiroinnet.it](mailto:esse3@chiroinnet.it)  
web: [www.esse3-medical.com](http://www.esse3-medical.com)

